

Bibliography – Renal Artery Stenting

Assessment of Renal Artery Stenosis Severity by Pressure Gradient Measurements.

De Bruyne B, Manoharan G, Pijls N, Verhamme K, Madaric J, Bartunek J, Vanderheyden M, Heyndrickx G.

J Am Coll Cardiol. 2006; 48:1851-1855.

Atherosclerotic Renal Artery Stenosis: Where's Waldo?

Whitlow.

J. Am Coll Cardiol Interv. 2008; 1: 293-294

Atherosclerotic renovascular disease: medical therapy versus medical therapy plus renal artery stenting in preventing renal failure progression: the rationale and study design of a prospective, multicenter and randomized trial (NITER).

Scarpioni R, Michieletti E, Cristinelli L, Ugolotti U, Scolari F, Venturelli C, Cancarini G, Pecchini P, Malberti F, Maroldi R, Rozzi G, Olivetti L.

J Nephrol. 2005 Jul-Aug;18(4):423-8.

Bilateral renal artery stenting in a patient with Leriche syndrome.

Dimitrios M, Achilles C, Andrew K, Charalampos L, Katsenis K, Vlachos L.

Urol Int. 2004;73(3):283-4.

Carotid artery in-stent restenosis in a patient with contralateral total occlusion, resolved with drug-eluting stenting.

Iancu A, Lazar A.

J Invasive Cardiol. 2007 Jun;19(6):275-9.

A Case report of type I acute aortic intramural hematoma with localized dissection as a complication of renal artery stenting.

Park JH, Rhee KS, Ko JK.

Catheter Cardiovasc Interv. 2005 Aug;65(4):552-5.

The Characteristics of dissemination of embolic materials during renal artery stenting.

Kawarada O, Yokoi Y, Takemoto K.

Catheter Cardiovasc Interv. 2007 Nov 15;70(6):784-8.

Clinical and angiographic predictors of restenosis following renal artery stenting.

Shammas NW, Kapalis MJ, Dippel EJ, Jerin MJ, Lemke JH, Patel P, Harris M.

J Invasive Cardiol. 2004 Jan;16(1):10-3.

Clinical efficacy of percutaneous renal revascularization with stent placement in atherosclerotic renovascular disease.

Gonçalves JA, Amorim JE, Soares Neto MM, Ribeiro AB, Lima VC.

Arq Bras Cardiol. 2007 Jan;88(1):85-90.

Clinical Outcome Following Renal Artery Stenting for Renovascular Hypertension in Patients Presenting with Angina or Heart Failure

Kholsa S, Vidyarthi V, Ahmed A, Trivedi A, Benatar D.

Vascular Disease Management. 2005 March;2(2): 5 – 8.

Correlation between noninvasive and endovascular Doppler in patients with atherosclerotic renal artery stenosis: a pilot study.

Slovut DP, Lookstein R, Bacharach JM, Olin JW.

Catheter Cardiovasc Interv. 2006 Mar;67(3):426-33.

Current issues in the diagnosis and management of patients with renal artery stenosis: a cardiologic perspective.

Haller C, Keim M.

Prog Cardiovasc Dis. 2003 Nov-Dec;46(3):271-86. Review.

Current Treatment of Peripheral Arterial Disease. Role of Percutaneous Interventional Therapies.

Mahmud E, Cavendish J, Salami A.

J Am Coll Cardiol Interv. 2007;50: 473-490.

Damage control for renal artery stenting.

Bittl JA.

Circulation. 2008 May 27;117(21):2724-6.

Delicate percutaneous renal artery stenting minimizes postoperative renal injury and protects kidney in patients with severe atherosclerotic renal artery stenosis and impaired renal function.

Tsao CR, Lee WL, Liu TJ, Chen YT, Ting CT.

Int Heart J. 2005 Nov;46(6):1061-72.

Drug-eluting stent implantation for treatment of recurrent renal artery in-stent restenosis.

Kakkar AK, Fischl M, Narins CR.

Catheter Cardiovasc Interv. 2006 Jul;68(1):118-22; discussion 123-4.

Drug-eluting stents in renal artery stenosis.

Zähringer M, Pattynama PM, Talen A, Sapoval M.

Eur Radiol. 2008 Apr;18(4):678-82. Epub 2007 Oct 11. Review.

Durability of renal artery stents in patients with transrenal abdominal aortic endografts.

Baril DT, Lookstein RA, Jacobs TS, Won J, Marin ML.

J Vasc Surg. 2007 May;45(5):915-20; discussion 920-1. Epub 2007 Mar 28.

Effect of renal artery stenting on renal function in patients with ischemic nephropathy.

Ilkay E, Günel IA, Yavuzkir M, Dağlı N, Karaca I, Celiker H, Doğukan A, Arslan N.

Jpn Heart J. 2004 Jul;45(4):637-45.

Effective prevention of massive periprocedural embolism during renal artery stenting.

Cardaioli P, Rigatelli G, Giordan M, Piva M, Roncon L, Zonzin P, Bianchini E, Rubello D.

Cardiovasc Revasc Med. 2006 Oct-Dec;7(4):246-9.

Effects of global renal artery stenting on chronic renal failure.

Rivolta R, Bazzi C, Stradiotti P.

Vascular Disease Management. 2006 Jan;3(1): 195 – 99.

Effects of renal artery stenting on renal function and blood pressure in patients with atherosclerotic renovascular disease.

Zhang Q, Shen W, Zhang R, Zhang J, Hu J, Zhang X.

Chin Med J (Engl). 2003 Oct;116(10):1451-4.

Embolic protection and platelet inhibition during renal artery stenting.

Cooper CJ, Haller ST, Colyer W, Steffes M, Burket MW, Thomas WJ, Safian R, Reddy B, Brewster P, Ankenbrandt MA, Virmani R, Dippel E, Rocha-Singh K, Murphy TP, Kennedy DJ, Shapiro JI, D'Agostino RD, Pencina MJ, Khuder S.

Circulation. 2008 May 27;117(21):2752-60. Epub 2008 May 19.

Embolic Protection — Its Role in Carotid, Coronary and Renal Intervention.

Hussain S, Gorog D.

Vascular Disease Management. 2007 March;4(2): 49 – 58.

Endovascular Stent-Graft Repair of Renal Dissection with Expanding Intramural Hematoma Following Renal Artery Stenting.

Heuser R.

Vascular Disease Management. 2005 March;2(2): 4.

Enhanced flow velocity after stenting of renal arteries is associated with decreased renal function.

Girndt M, Kaul H, Maute C, Kramann B, Köhler H, Uder M.

Nephron Clin Pract. 2007;105(2):c84-9. Epub 2006 Dec 11.

An Evaluation of the effects of renal artery stenting in renovascular hypertension.

Mak G, Tan CY, Ben Khiaron O, McEniff N, Feely J.

Ir Med J. 2007 Mar;100(3):397-8.

Evaluation of the safety and effectiveness of renal artery stenting after unsuccessful balloon angioplasty: the ASPIRE-2 study.

Rocha-Singh K, Jaff MR, Rosenfield K; ASPIRE-2 Trial Investigators.

J Am Coll Cardiol. 2005 Sep 6;46(5):776-83.

Factors affecting long-term survival following renal artery stenting.

Bates MC, Campbell JE, Stone PA, Jaff MR, Broce M, Lavigne PS.

Catheter Cardiovasc Interv. 2007 Jun 1;69(7):1037-43.

Factors influencing the need for target vessel revascularization after renal artery stenting.

Bates MC, Rashid M, Campbell JE, Stone PA, Broce M, Lavigne PS.

J Endovasc Ther. 2006 Oct;13(5):569-77.

Feasibility of renal artery stenting before, during, and after endovascular aneurysm repair with suprarenal fixation endograft.

Melissano G, Civilini E, Baccellieri D, Montorfano M, Chiesa R.

Vasc Endovascular Surg. 2007 Apr-May;41(2):140-5.

Gamma Brachytherapy for the Treatment of In-Stent Restenosis of Renal Arteries.

Waksman R, Kuchulakanti PK, Laird JR, Dieter RS, Torguson R, Wolfram R, Chan R, White L, Whitman D.

Vascular Disease Management. 2006 Jan;3(1): 178 – 83.

Image-guided and -monitored renal artery stenting using only MRI.

Elgort DR, Hillenbrand CM, Zhang S, Wong EY, Rafie S, Lewin JS, Duerk JL.

J Magn Reson Imaging. 2006 May;23(5):619-27.

Incidental Atherosclerotic Renal Artery Stenosis Diagnosed at Cardiac Catheterization: No Difference in Kidney Function with or without Stenting.

Zalunardo N, Rose C, Starovoytov A, Djurdjev O, Fox R, Taylor P, Duncan JA, Buller CE, Levin A.

Am J Nephrol. 2008 Jan 16;28(6):921-928.

Incorporating patient-centered outcomes in the analysis of cost-effectiveness: imaging strategies for renovascular hypertension.

Carlos RC, Axelrod DA, Ellis JH, Abrahamse PH, Fendrick AM.

AJR Am J Roentgenol. 2003 Dec;181(6):1653-61.

Initial Experience with the Palmaz Blue™ Cobalt Chromium Balloon Expandable Stent for Renal Artery Stent Procedures.

Lookstein RA, Stangl PA, Nowakowski FS, Honig S, Weintraub JL.
Journal of Vascular and Interventional Radiology. □ 2008 Feb;19(2): S95.

Intravascular ultrasound-guided cutting balloon angioplasty for renal artery stent restenosis.

Otah KE, Alhaddad IA.
Clin Cardiol. 2004 Oct;27(10):581-3.

Intravenous aminophylline provides no additional renal protection in patient with severe atherosclerotic renal artery stenosis treated by delicate percutaneous renal intervention.

Tsao CR, Liu TJ, Chen FC, Chu YH, Her HY, Lin WW, Wang KY, Chen YT, Ting CT, Lee WL.
Int J Cardiol. 2006 Jun 7;110(1):122-4. Epub 2005 Jul 7.

Long-term follow-up after renal artery stenting.

Bucek RA, Puchner S, Reiter M, Dirisamer A, Minar E, Lammer J.
Wien Klin Wochenschr. 2003 Nov 28;115(21-22):788-92.

Long-term follow-up of renal artery stenting in an Australian population.

Ruchin PE, Baron DW, Wilson SH, Boland J, Muller DW, Roy PR.
Heart Lung Circ. 2007 Apr;16(2):79-84. Epub 2007 Feb 20.

Management of atherosclerotic renovascular disease: the effect of renal artery stenting on renal function and blood pressure.

Paraskevas KI, Perrea D, Briana DD, Liapis CD.
Int Urol Nephrol. 2006;38(3-4):683-91. Review.

MDCT angiography of the renal arteries in patients with atherosclerotic renal artery stenosis: implications for renal artery stenting with distal protection.

Talenfeld AD, Schwoppe RB, Alper HJ, Cohen EI, Lookstein RA.
AJR Am J Roentgenol. 2007 Jun;188(6):1652-8.

Multidetector CT angiography with perfusion analysis in the surveillance of renal artery stents.

Bucek RA, Puchner S, Reiter M, Dirisamer A, Minar E, Lammer J.
J Endovasc Ther. 2004 Apr;11(2):139-43.

Operative mortality for renal artery bypass in the United States: Results from the National Inpatient Sample.

Modrall JG, Rosero EB, Smith ST, Arko FR 3rd, Valentine RJ, Clagett GP, Timaran CH.
J Vasc Surg. 2008 Aug;48(2):317-322. Epub 2008 May 9.

Optimal renal artery stenting: does size matter?

Nguyen MC, Garcia LA.
J Invasive Cardiol. 2008 Jun;20(6):277-8.

Percutaneous intervention of spontaneous renal artery dissection complicated with renal infarction: a case report and literature review.

Lee SH, Lee HC, Oh SJ, Park MC, Park KJ, Moon YS, Min JW, Hwang EJ, Baek JE, Jo ES, Jang GJ.
Catheter Cardiovasc Interv. 2003 Nov;60(3):335-8. Review.

Percutaneous mesenteric stenting followed by laparoscopic exploration for visceral malperfusion in acute type B aortic dissection.

Shiyya N, Sawada A, Tanaka E, Tachibana T, Matsuzaki K, Kuniyama T.
Ann Vasc Surg. 2006 Jul;20(4):521-4. Epub 2006 Apr 20.

Peripheral vascular disease endovascular management in patients scheduled for cardiac surgery: a clinical-angiographic approach.

Rigatelli G, Cardaioli P, Giordan M, Roncon L, Faggian G, Rigatelli G, Zonzin P.
Int J Cardiovasc Imaging. 2006 Jun-Aug;22(3-4):305-10. Epub 2006 Mar 9.

**Physiologic Assessment of Renal Artery Stenosis
Will History Repeat Itself?**

William F. Fearon.
J Am Coll Cardiol. 2006; 48:1856-1858.

Predictive factors of in-stent restenosis in renal artery stenting: a retrospective analysis.

Vignali C, Bargellini I, Lazzereschi M, Cioni R, Petruzzi P, Caramella D, Pinto S, Napoli V, Zampa V, Bartolozzi C.
Cardiovasc Intervent Radiol. 2005 May-Jun;28(3):296-302.

Prolonged renal artery occlusion after endovascular aneurysm repair: endovascular rescue and renal function salvage.

Hedayati N, Lin PH, Lumsden AB, Zhou W.
J Vasc Surg. 2008 Feb;47(2):446-9. Epub 2007 Oct 22.

Propaedeutical Endovascular Interventions in High-Risk Candidates for Coronary Surgery.

Rigatelli G, Roncon L, Bedendo E, Giordan M, Rinuncini M, Milan T.
Vascular Disease Management. 2005 March;2(2): 10 – 14.

Prospective evaluation of aggressive medical therapy for atherosclerotic renal artery stenosis, with renal artery stenting reserved for previously injured heart, brain, or kidney.

Hanzel G, Balon H, Wong O, Soffer D, Lee DT, Safian RD.
Am J Cardiol. 2005 Nov 1;96(9):1322-7. Epub 2005 Sep 15.

Quality of life improves after renal artery stenting.

Kennedy DJ, Burket MW, Khuder SA, Shapiro JI, Topp RV, Cooper CJ.
Biol Res Nurs. 2006 Oct;8(2):129-37.

Recent advances in renal artery stenting.

Henry M, Henry I, Polydorou A, Polydorou AD, Hugel M.
J Cardiovasc Surg (Torino). 2007 Aug;48(4):411-42. Review.

Renal angioplasty and stenting: long-term results and the potential role of protection devices.

Henry M, Henry I, Polydorou A, Rajagopal S, Lakshmi G, Hugel M.
Expert Rev Cardiovasc Ther. 2005 Mar;3(2):321-34. Review.

Renal angioplasty and stenting: long-term results and the potential role of protection devices.

Henry M, Henry I, Polydorou A, Rajagopal S, Lakshmi G, Hugel M.
Expert Rev Cardiovasc Ther. 2005 Mar;3(2):321-34. Review.

Renal artery disease: diagnosis and management.

Olin JW.
Mt Sinai J Med. 2004 Mar;71(2):73-85. Review.

Renal artery stenosis: a review of therapeutic options.

Khosla S.
Minerva Cardioangiol. 2005 Feb;53(1):79-91. Review.

Renal artery stenting following unsuccessful balloon angioplasty.

Deming WM.

J Am Coll Cardiol. 2006 Jul 4;48(1):225. Epub 2006 Jun 9. No abstract available.

Renal artery stenting: continuing to evaluate the benefits.

Vetrovec G.

J Invasive Cardiol. 2004 Jul;16(7):372. No abstract available.

Renal artery stenting for intimal flap injury in a 2-year-old child after blunt abdominal trauma.

Hsu W, Mitchell SE, Kim HS.

South Med J. 2006 Aug;99(8):884-7.

Renal artery stenting for renal artery stenosis: interventional approach and initial clinical results.

Geary GG, Ross DL, Denniss AR.

Heart Lung Circ. 2004 Sep;13(3):274-9.

Renal artery stenting in severe chronic kidney disease.

Liddell RP, Pirruccello J, Georgiades C, Hong K, Kim HS, Ratchford E, Arepally A. *Journal of Vascular and Interventional Radiology.* 2008 Feb;19(2): S53. □

Renal artery stenting in solitary functioning kidneys: technical and clinical results.

Sahin S, Cimşit C, Andaç N, Baltacıoğlu F, Tuğlular S, Akoğlu E.

Eur J Radiol. 2006 Jan;57(1):131-7. Epub 2005 Jun 13.

Renal artery stenting: Is it ready for primetime?

Mahmud E.

J Am Coll Cardiol. 2005 Sep 6;46(5):784-6. No abstract available.

Renal artery stenting slows the rate of renal function decline.

Arthurs Z, Starnes B, Cuadrado D, Sohn V, Cushner H, Andersen C.

J Vasc Surg. 2007 Apr;45(4):726-31; discussion 731-2.

Is renal artery stenting the correct treatment of renal artery stenosis? Case against angioplasty and stenting of atherosclerotic renal artery stenosis.

Dworkin LD, Jamerson KA.

Circulation. 2007 Jan 16;115(2):271-6; discussion 276. Review. No abstract available.

Is renal artery stenting the correct treatment of renal artery stenosis? The case for renal artery stenting for treatment of renal artery stenosis.

Cooper CJ, Murphy TP.

Circulation. 2007 Jan 16;115(2):263-9; discussion 270. Review. No abstract available.

Renal artery stenting using gadodiamide arteriography in patients with baseline renal insufficiency.

Harb TS, Laird JR, Dieter RS, Reddy BK, Whitman D, Babrowicz JC, Satler LF.

J Endovasc Ther. 2004 Oct;11(5):553-9.

Renal artery stenting with two simultaneous protection devices.

Plich M, Klein R.

Catheter Cardiovasc Interv. 2008 Feb 1;71(2):264-7.

Renal stenting for incidentally discovered renal artery stenosis: is there any outcome benefit?

Suliman A, Imhoff L, Greenberg JI, Angle N.
Ann Vasc Surg. 2008 Jul-Aug;22(4):525-33.

Renal Sub-capsular Hemorrhage: Unique Imaging Findings and Role of Interventional Management.

Keshava SN, Sebben R.
Vascular Disease Management. 2007 March;4(2): 37 – 40.

Restenosis after stenting of atherosclerotic renal artery stenosis: is there a rationale for the use of drug-eluting stents?

Zeller T, Rastan A, Rothenpieler U, Müller C.
Catheter Cardiovasc Interv. 2006 Jul;68(1):125-30.

Restenosis in gold-coated renal artery stents.

Nolan BW, Schermerhorn ML, Powell RJ, Rowell E, Fillinger MF, Rzucidlo EM, Wyers MC, Whittaker D, Zwolak RM, Walsh DB, Cronenwett JL.
J Vasc Surg. 2005 Jul;42(1):40-6.

Reversal of Refractory Hypertension due to the Goldblatt Kidney Phenomena from a Descending Aortic Dissection Using a Stent and Filter Device.

Nandalur M, Abramowitz B, Avula S, Akhter N.
Vascular Disease Management. 2007 May;4(3): 70 – 72.

A Review of the prevention and management of catastrophic complications during renal artery stenting.

Burke C.
Vascular Disease Management. 2007 Jan;4(1): 6-11.

Role of color-Doppler sonography in the follow-up of renal artery stenting.

Parenti GC, Palmarini D, Bilzoni M, Campioni P, Mannella P, Ginevra A.
Radiol Med (Torino). 2008 Mar;113(2):242-8. Epub 2008 Apr 2. English, Italian.

The Role of embolic protection devices in renal angioplasty and stenting.

Henry M, Henry I, Klonaris C, Polydorou A, Polydorou A, Hugel M.
Vascular Disease Management. 2007 May;4(3): 99 – 111.

Safety of angiotensin-converting enzyme inhibitors in patients with bilateral renal artery stenosis following successful renal artery stent revascularization.

Khosla S, Ahmed A, Siddiqui M, Trivedi A, Benatar D, Salem Y, Elbzour M, Vidyarthi V, Lubell D.
Am J Ther. 2006 Jul-Aug;13(4):306-8.

Salvage stenting for acute renal failure secondary to renal artery stenosis.

Sharp J, Baron D.
Heart, Lung and Circulation. 2003 Sept;12(3): 189-92.

Serum creatinine stabilization following renal artery stenting.

Bates MC, Campbell JE, Broce M, Lavigne PS, Riley MA.
Vasc Endovascular Surg. 2008 Feb-Mar;42(1):40-6.

A single-center experience treating renal malperfusion after aortic dissection with central aortic fenestration and renal artery stenting.

Barnes DM, Williams DM, Dasika NL, Patel HJ, Weder AB, Stanley JC, Deeb GM, Upchurch GR Jr.
J Vasc Surg. 2008 May;47(5):903-910; discussion 910-1.

Sirolimus-eluting versus bare-metal low-profile stent for renal artery treatment (GREAT Trial): angiographic follow-up after 6 months and clinical outcome up to 2 years.

Zähringer M, Sapoval M, Pattynama PM, Rabbia C, Vignali C, Maleux G, Boyer L, Szczerbo-Trojanowska M, Jaschke W, Hafsahl G, Downes M, Bérégi JP, Veeger NJ, Stoll HP, Talen A. *J Endovasc Ther.* 2007 Aug;14(4):460-8.

Stabilization of renal function following renal artery stent revascularization.

Guerrero M, Ahmed A, Siddiqui M, Khosla S. *J Invasive Cardiol.* 2004 Dec;16(12):703-6. Erratum in: *J Invasive Cardiol.* 2005 Jan;17(1):A20.

Stenting of renal artery stenosis: is it beneficial in chronic renal failure?

Rivolta R, Bazzi C, Stradiotti P, Paparella M. *J Nephrol.* 2005 Nov-Dec;18(6):749-54.

Survival following renal artery stent revascularization: four-year follow-up.

Guerrero M, Syed A, Khosla S. *J Invasive Cardiol.* 2004 Jul;16(7):368-71.

Technical considerations for renal artery stenting.

Goldstein J, Kolluri R, Rocha-Singh K. *Vascular Disease Management.* 2006 May;3(3): 260 – 65.

Technical note on renal angioplasty and stenting: new developments that facilitate its performance.

Silva MB Jr, Bohannon WT, Santana D. *Vascular.* 2004 Jan;12(1):42-50. Review.

Three-dimensional analysis of renal artery bending motion during respiration.

Draney MT, Zarins CK, Taylor CA. *J Endovasc Ther.* 2005 Jun;12(3):380-6.

Three-dimensional balloon catheter sizing identifies significant underdeployed stents using conventional methods in renal artery interventions.

Aqel RA, Zoghbi GJ, Hage FG, Dell'Italia L. *J Invasive Cardiol.* 2008 Jun;20(6):270-6.

Time course of inflammatory response after renal artery stenting in patients with atherosclerotic renal stenosis.

Li JJ, Fang CH, Jiang H, Huang CX, Hui RT, Chen MZ. *Clin Chim Acta.* 2004 Dec;350(1-2):115-21.

Treatment of hypertension by renal artery stenting.

Rosenschein U, Kaganovich Y, Machoul N, Storch S. *Isr Med Assoc J.* 2004 Jul;6(7):445. No abstract available

Treatment of hypertension from renal artery entrapment by percutaneous CT-guided botulinum toxin injection into diaphragmatic crus as alternative to surgery and stenting.

Bilici A, Karcaaltincaba M, Ilica AT, Bukte Y, Senol A. *AJR Am J Roentgenol.* 2007 Sep;189(3):W143-5.

Treatment of reoccurring instent restenosis following reintervention after stent-supported renal artery angioplasty.

Zeller T, Sixt S, Rastan A, Schwarzwälder U, Müller C, Frank U, Bürgelin K, Schwarz T, Hauswald K, Brantner R, Noory E, Neumann FJ. *Catheter Cardiovasc Interv.* 2007 Aug 1;70(2):296-300.

Treatment of Renal Artery In-Stent Restenosis: Seven Year Single Center Experience.

Lookstein RA, Fischman A, Reinherz J, Siegelbaum R, Weintraub JL, Stangl, Nowakowski □
Journal of Vascular and Interventional Radiology. 2008 Feb;19(2): S54.

Use of endovascular stents in atherosclerotic renovascular stenosis: blood pressure and renal function changes in hypertensive patients.

Tagle R, Acevedo M, Xu M, Pohl M, Vidt D.
J Clin Hypertens (Greenwich). 2007 Aug;9(8):608-14.

Use of gadolinium-based angiography for renal artery stenting in a patient with renal insufficiency: A case report.

Mannebach PC, Dieter RS, Marks DS.
Angiology. 2006 Aug-Sep;57(4):526-9.

Use of a novel high-osmolar gadolinium chelate, gadobutrol, for percutaneous renal artery stenting in two patients with chronic renal failure.

Trani C, Burzotta F, Biondi-Zoccai GG, Romagnoli E, Gabrielli FA, Abbate A, Ramazzotti V, Belloni F, Schiavoni G, Mongiardo R, Crea F, Mazzari MA.
Int J Cardiol. 2005 Jul 10;102(2):361-2.

Usefulness of translesional pressure gradient and pharmacological provocation for the assessment of intermediate renal artery disease.

Jones NJ, Bates ER, Chetcuti SJ, Lederman RJ, Grossman PM.
Catheter Cardiovasc Interv. 2006 Sep;68(3):429-34.

Value, limitations, and techniques of renal artery stenting.

Bohannon WT, Silva MB Jr.
Semin Vasc Surg. 2003 Dec;16(4):300-10. Review.

The vascular therapist.

Geary GG.
Heart Lung Circ. 2007 Jun;16(3):193-9. Epub 2007 Apr 23.

Visceral aortic patch aneurysm after thoracoabdominal aortic repair: Conventional vs hybrid treatment.

Tshomba Y, Bertoglio L, Marone EM, Melissano G, Chiesa R.
J Vasc Surg. 2008 Aug 8. [Epub ahead of print]